

Cambridge International General Certificate of Secondary Education

#### CHEMISTRY

Paper 2 Multiple Choice (Extended)

0620/21 May/June 2016

45 Minutes

Additional Materials: Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

### READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 20. Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 17 printed pages and 3 blank pages.

**1** The rate of diffusion of two gases, methane, CH<sub>4</sub>, and ethene, C<sub>2</sub>H<sub>4</sub>, is measured using the apparatus shown.



Which gas diffuses faster and why?

	gas that diffuses faster	reason
Α	ethene	Ethene molecules are heavier and so move faster.
В	ethene	Ethene molecules have a double bond which makes them more reactive.
С	methane	Methane molecules are lighter and so move faster.
D	methane	Methane molecules are smaller so they can get out of the small hole more easily.

**2** A sample of a dye is investigated by chromatography.

A line is drawn across a piece of chromatography paper and a spot of the dye is placed on it.

The paper is placed in water.



Which row is correct?

	what is used to draw the line	position of spot
Α	ink	above the level of the water
в	ink	below the level of the water
С	pencil	above the level of the water
D	pencil	below the level of the water

3 The paper chromatogram below was obtained from four different dyes.

Which dye has an *R*<sub>f</sub> value of 0.7?



- 4 Which statements about isotopes of the same element are correct?
  - 1 They are atoms which have the same chemical properties because they have the same number of electrons in their outer shell.
  - 2 They are atoms which have the same number of electrons and neutrons but different numbers of protons.
  - 3 They are atoms which have the same number of electrons and protons but different numbers of neutrons.
  - **A** 1 and 2 **B** 1 and 3 **C** 2 only **D** 3 only
- **5** The table shows the electronic structure of four atoms.

atom	electronic structure	
W	2,8,1	
х	2,8,4	
Y	2,8,7	
Z	2,8,8	

Which two atoms combine to form a covalent compound?

**A** W and X **B** W and Y **C** X and Y **D** X and Z

- 6 Which statement describes the attractive forces between molecules (intermolecular forces)?
  - A They are strong covalent bonds which hold molecules together.
  - **B** They are strong ionic bonds which hold molecules together.
  - **C** They are weak forces formed between covalently-bonded molecules.
  - **D** They are weak forces which hold ions together in a lattice.
- 7 The diagram represents the general structure of a solid Z.



What is Z?

- A aluminium
- B iodine
- C silicon dioxide
- D sulfur
- **8** A compound, X, contains 40.0% carbon, 6.7% hydrogen and 53.3% oxygen by mass.

The relative molecular mass,  $M_{\rm r}$ , of X is 60.

What is the molecular formula of X?

- **A**  $CH_2O$  **B**  $CH_4O$  **C**  $C_2H_4O$  **D**  $C_2H_4O_2$
- 9 25 cm<sup>3</sup> of 0.1 mol/dm<sup>3</sup> hydrochloric acid exactly neutralise 20 cm<sup>3</sup> of aqueous sodium hydroxide.
  The equation for this reaction is:

NaOH + HC $l \rightarrow$  NaCl + H<sub>2</sub>O

What is the concentration of the sodium hydroxide solution?

- **A** 0.080 mol/dm<sup>3</sup>
- **B** 0.800 mol/dm<sup>3</sup>
- **C** 0.125 mol/dm<sup>3</sup>
- **D**  $1.25 \text{ mol}/\text{dm}^3$

10 Which reactions could take place at the anode during electrolysis?

**11** The diagram shows some properties that substances may have.

To which labelled part of the diagram does <sup>235</sup>U belong?



**12** The diagram shows a simple cell.



Which statement about the process occurring when the cell is in operation is correct?

- **A**  $Cu^{2+}$  ions are formed in solution.
- **B** Electrons travel through the solution.
- **C** The reaction  $Zn \rightarrow Zn^{2+} + 2e^{-}$  occurs.
- **D** The zinc electrode increases in mass.

**13** Hydrogen burns exothermically in oxygen.

The equation for the reaction is:

 $2H_2 + O_2 \rightarrow 2H_2O$ 

The table shows the bond energies involved.

bond	bond energy in kJ/mol	
H–H	436	
O=0	498	
O–H	464	

What is the energy given out during the reaction?

- A \_3226 kJ/mol
- **B** -884 kJ/mol
- **C** \_486 kJ/mol
- **D** -442 kJ/mol

**14** A liquid X reacts with solid Y to form a gas.

Which two diagrams show suitable methods for investigating the rate (speed) of the reaction?



15 Which statements explain why increasing temperature increases the rate of a chemical reaction?

- 1 Heat makes the molecules move faster and collide more often.
- 2 Heat makes the molecules collide with more energy so they are more likely to react.
- 3 Increasing temperature lowers the activation energy for the reaction.

**A** 1 and 2 **B** 1 and 3 **C** 1 only **D** 2 only

16 Steam reacts with carbon in an endothermic reaction.

$$C(s) + H_2O(g) \rightleftharpoons CO(g) + H_2(g)$$

Which conditions of temperature and pressure would give the largest yield of hydrogen?

	temperature	pressure
Α	high	high
В	high	low
С	low	high
D	low	low

- 17 Which equation represents a reduction reaction?
  - $\textbf{A} \quad Fe^{2+} + e^{-} \rightarrow Fe^{3+}$
  - **B**  $Fe^{2+} \rightarrow Fe^{3+} + e^{-}$
  - $\textbf{C} \quad Fe^{3*} \ \textbf{+} \ e^{-} \ \textbf{-} \ Fe^{2*}$
  - $\textbf{D} \quad Fe^{3^{+}} \rightarrow Fe^{2^{+}} + e^{-}$
- 18 Which statements are properties of an acid?
  - 1 reacts with ammonium sulfate to form ammonia
  - 2 turns red litmus blue

	1	2
Α	$\checkmark$	~
В	$\checkmark$	x
С	x	✓
D	X	x

19 Which row describes whether an amphoteric oxide reacts with acids and bases?

	reacts with acids	reacts with bases
Α	no	no
В	no	yes
С	yes	no
D	yes	yes

- A aqueous barium chloride
- **B** aqueous sodium hydroxide
- **C** copper
- **D** copper(II) carbonate
- 21 Where in the Periodic Table is the metallic character of the elements greatest?

	left or right side of a period	at the top or bottom of a group
Α	left	bottom
в	left	top
С	right	bottom
D	right	top

22 Some properties of four elements, P, Q, R and S, are shown in the table.

Two of these elements are in Group I of the Periodic Table and two are in Group VII.

element	reaction with water	physical state at room temperature
Р	reacts vigorously	solid
Q	does not react with water	solid
R	reacts explosively	solid
S	dissolves giving a coloured solution	liquid

Which statement is correct?

- A P is below R in Group I.
- **B** Q is above R in Group I.
- **C** Q is below S in Group VII.
- **D** R is below S in Group VII.

	melting point in °C	density in g/cm <sup>3</sup>	colour	electrical conductor
Α	114	4.9	purple	no
В	659	2.7	grey	yes
С	1677	4.5	grey	yes
D	3727	2.3	black	yes

23 Which of the following could be a transition element?

- **24** Two statements about argon are given.
  - 1 Argon has a full outer shell of electrons.
  - 2 Argon is very reactive and is used in lamps.

Which is correct?

- **A** Both statements are correct and statement 2 explains statement 1.
- **B** Both statements are correct but statement 2 does not explain statement 1.
- **C** Statement 1 is correct but statement 2 is incorrect.
- **D** Statement 2 is correct but statement 1 is incorrect.
- 25 A student investigated the reactions of four metals, R, S, T and U, with solutions of their salts.

The results are given in the table.

metal	metal salt	result
R	S nitrate	reacts
R	T nitrate	reacts
S	U nitrate	no reaction
Т	U nitrate	reacts
U	R nitrate	no reaction

What is the order of reactivity of the metals, most reactive first?

- $\textbf{A} \quad \textbf{R} \rightarrow \textbf{S} \rightarrow \textbf{U} \rightarrow \textbf{T}$
- ${\bm B} \quad R \to T \to U \to S$
- $\boldsymbol{\mathsf{C}} \quad \boldsymbol{\mathsf{S}} \to \boldsymbol{\mathsf{U}} \to \boldsymbol{\mathsf{T}} {\to} \boldsymbol{\mathsf{R}}$
- $\textbf{D} \quad U \to R \to T \to S$

10

**26** Three students, X, Y and Z, were told that solid P reacts with dilute acids and also conducts electricity.

The table shows the students' suggestions about the identity of P.

Х	Y	Z
copper	iron	graphite

Which of the students are correct?

- **A** X, Y and Z **B** X only **C** Y only **D** Z only
- 27 Which statement about the uses of metals is correct?
  - A Aluminium is used in the manufacture of aircraft because of its strength and high density.
  - B Copper is used in electrical wiring because of its strength and high density.
  - **C** Mild steel is used in the manufacture of car bodies because of its strength and resistance to corrosion.
  - **D** Stainless steel is used in the construction of chemical plant because of its strength and resistance to corrosion.
- **28** Aluminium is manufactured by electrolysis of aluminium oxide.

The diagram shows the electrolysis cell.



Which statement about the process is not correct?

- A Aluminium ions gain electrons during the electrolysis and are reduced.
- **B** Cryolite is added to reduce the melting point of the aluminium oxide.
- **C** The anode and cathode are made of graphite.
- **D** The cathode has to be replaced regularly because it is burnt away.

**29** The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q
Α	falls	rises
В	no change	rises
С	rises	falls
D	rises	no change

**30** A new planet has been discovered and its atmosphere has been analysed.



The table shows the composition of its atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- **B** carbon dioxide only
- C nitrogen and oxygen
- D nitrogen only

**31** Many car exhaust systems contain a catalytic converter.

Which change does **not** occur in a catalytic converter?

- A carbon dioxide  $\rightarrow$  carbon
- $\textbf{B} \quad \text{carbon monoxide} \rightarrow \text{carbon dioxide}$
- **C** nitrogen oxides  $\rightarrow$  nitrogen
- $\mathbf{D}$  unburnt hydrocarbons  $\rightarrow$  carbon dioxide and water
- 32 Ammonia is formed by a reversible reaction.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

Which changes in conditions would increase the yield of ammonia?

	increase in pressure	increase in temperature
Α	1	✓
В	$\checkmark$	x
С	x	$\checkmark$
D	x	x

**33** The equation for an exothermic reaction in the Contact process is shown.

$$2SO_2(g) + O_2(g) \rightarrow 2SO_3(g)$$

Which effects do increasing the temperature and using a catalyst have on the rate of formation of sulfur trioxide,  $SO_3$ ?

	increasing the temperature	using a catalyst
Α	rate decreases	rate decreases
В	rate decreases	rate increases
С	rate increases	rate decreases
D	rate increases	rate increases

**34** A farmer's soil is very low in both nitrogen (N) and phosphorus (P).

Which fertiliser would improve the quality of this soil most effectively?

		percentage	
	nitrogen (N)	phosphorus (P)	potassium (K)
Α	11	11	27
В	12	37	10
С	28	10	10
D	31	29	9

**35** The diagram shows the separation of petroleum into fractions.



What could X, Y and Z represent?

	Х	Y	Z
Α	diesel oil	lubricating fraction	paraffin
в	lubricating fraction	diesel oil	paraffin
С	paraffin	lubricating fraction	diesel oil
D	paraffin	diesel oil	lubricating fraction

- 36 Which of the compounds shown are in the same homologous series?
  - 1 CH<sub>3</sub>OH
  - 2 CH<sub>3</sub>CH<sub>2</sub>OH
  - 3 CH<sub>3</sub>COOH
  - 4 CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>OH

**A** 1, 2 and 3 **B** 1, 2 and 4 **C** 1, 3 and 4 **D** 2, 3 and 4

37 Which compounds contain the same number of carbon, hydrogen and oxygen atoms?

	W	Х	Y	Z
	ethyl methanoate	methyl ethanoate	methyl methanoate	ethyl ethanoate
Α	W and X B	WandY CX	and Z D Ya	and Z

- **38** What is an advantage of producing ethanol by fermentation of sugar compared to the catalytic addition of steam to ethene?
  - **A** The alcohol produced is purer.
  - **B** The process is faster.
  - **C** The process uses high temperature.
  - **D** The process uses renewable raw materials.

**39** The structure of a monomer is shown.



Which polymer can be made from this monomer?



40 Which formula represents a polyester?



### **BLANK PAGE**

# **BLANK PAGE**

#### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely availa www.cie.org.uk after the live examination series. WWW.Sparkl.me

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

	NII	<sup>2</sup> He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Ъ	krypton 84	54	Xe	xenon 131	86	Rn	radon -				
	١١٨			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Ъ	bromine 80	53	Ι	iodine 127	85	At	astatine -				
	N			8	0	oxygen 16	16	ა	sulfur 32	34	Se	selenium 79	52	Те	tellurium 128	84	Ро	polonium I	116	۲<	livermorium -	
	>			7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	ï	bismuth 209				
	$\geq$			9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Fl	flerovium -	
				5	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	Ll	thallium 204				
			,							30	Zn	zinc 65	48	Cq	cadmium 112	80	Hg	mercury 201	112	C	copernicium -	
										29	Cu	copper 64	47	Ag	silver 108	79	Au	gold 197	111	Rg	roentgenium -	
dno										28	ïZ	nickel 59	46	Ъd	palladium 106	78	ħ	platinum 195	110	Ds	darmstadtium 	
Gro										27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium 	
		- T	hydrogen 1							26	Бe	iron 56	44	Ru	ruthenium 101	76	Os	osmium 190	108	Hs	hassium	
										25	Mn	manganese 55	43	Ч	technetium -	75	Re	rhenium 186	107	Bh	bohrium –	
				_	bol	ass				24	ç	chromium 52	42	Mo	molybdenum 96	74	×	tungsten 184	106	Sg	seaborgium _	
			Key	atomic number	mic syml	name ttive atomic me				23	>	vanadium 51	41	qN	niobium 93	73	ца	tantalum 181	105	Db	dubnium _	
				Q	ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Η	hafnium 178	104	Ŗ	rutherfordium 	
							_			21	Sc	scandium 45	39	≻	yttrium 89	57-71	lanthanoids		89–103	actinoids		
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Sr	strontium 88	56	Ba	barium 137	88	Ra	radium -	
	_			3	:	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	г Н	francium -	

	57	58	59	60	61	62	63	64	65	99	67	68	69	70	71
lanthanoids	La	Ce	P	Nd	Рш	Sm	Еu	Вd	Tb	D	Ч	ч	Tm	Υb	Lu
/W\	lanthanum 139	cerium 140	praseodymium 141	neodymium 144	promethium -	samarium 150	europium 152	gadolinium 157	terbium 159	dysprosium 163	holmium 165	erbium 167	thulium 169	ytterbium 173	lutetium 175
w.	89	06	91	92	93	94	95	96	97	86	66	100	101	102	103
action of the second	Ac	Th	Ра		Np	Pu	Am	Cm	ВĶ	ç	Еs	Еm	Md	No	Ļ
ວຂ	actinium	thorium	protactinium	uranium	neptunium	plutonium	americium	curium	berkelium	californium	einsteinium	fermium	mendelevium	nobelium	lawrencium
arl	I	232	231	238	I	I	I	I	I	I	I	I	I	I	I
ة أة kl.me	e mole of	any gas	is 24 dm <sup>3</sup> (	at room t	emperatu	re and pr	essure (r.	t.p.)							
e															



The Periodic Table of Elements

20